

Interference Search Notes

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	30	((power or reset) and (key or password or passphrase) and (compar\$3 or determin\$3) and (value or state) and (decrypt\$3 or descrambl\$3 or decipher\$3)).clm. and (@ay="2000" or @ay="2001")	US-PGPUB	OR	ON	2007/05/25 09:04

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"6836844".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 08:59
S1	527	726/2,21,26,29.ccls. and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 08:58
S2	1762	(726/1-2,21,26-27,29.ccls. or 380/277-279.ccls. or 705/50-51.ccls.) and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:02
S3	23	S2 and ((detect\$3 or determin\$3) with (expir\$5 or ban\$4) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 10:57
S4	1465	((detect\$3 or determin\$3) with (expir\$5 or ban\$4) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 10:58
S5	72	S4 and ((ban\$4 or prohibit\$3 or prevent\$3) with (initial or default) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:33
S6	17	S5 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:04
S7	514	S4 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:34

EAST Search History

S8	709	((banned or banning or prohibit\$3 or prevent\$3) with (initial or default) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:39
S9	0	((banned or banning) with (initial or default) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:34
S10	22	((banned or banning) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 13:00
S11	1	S10 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:34
S12	238	S8 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:39
S13	98	((expir\$3 or expiration) with (initial or default) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:44
S14	45	S13 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:44
S15	4040	((expir\$3 or expiration) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:43

EAST Search History

S16	1273	S15 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 13:00
S17	308	S16 and ((initial or default) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 12:44
S18	216	((banned or ban) with (list or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 13:09
S19	26	S18 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 14:08
S20	408	S16 and (key with (list or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 13:57
S21	129	(compar\$3 with (expir\$3 or expiration or banned or ban) with (license or key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 14:42
S22	49	S21 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:04
S23	5476	(expir\$3 or expiration or banned or ban) with (license or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 14:42

EAST Search History

S24	160	S23 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:03
S25	158	(detect\$3 or determin\$3) with (illegal) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:13
S26	72	S25 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:04
S27	2	(detect\$3 or determin\$3) with (banned) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/11 15:13
S28	5	(initial adj key) with (expir\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 10:30
S29	1	S28 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 10:30
S30	1301	(initial adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 10:29
S31	136	S30 and (content with (decrypt\$3 or decipher\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 10:30

EAST Search History

S32	46	S31 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 10:34
S33	16	S32 and (key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 10:30
S34	6	(ban or banning or banned) with (initial or default) with (key or password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 12:29
S35	771	(prevent\$3 or prohibit\$3) with (initial or default) with (key or password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 12:29
S36	271	S35 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 12:30
S37	11	S36 and ((decrypt\$3 or decipher\$3) with (content or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 12:30
S38	280	(380/201.ccls.) and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 12:48
S39	6	("6801999" or "20020016919" or "5923754").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:30

EAST Search History

S40	1630	(726/1-2,21,26-27,29.ccls. or 380/277-279.ccls. or 713/189.ccls.) and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:03
S41	99	(power or reset) with (default or initial) with (restor\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:08
S42	30	S41 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:44
S43	1206	(default or initial) with (content or media) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:08
S44	16	S43 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:20
S45	6540124	(ensur\$3 with key or (replac\$4 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:21
S46	963	S45 and ((detect\$3 or compar\$3) with (default or initial) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:22
S47	25	S46 and ((prevent\$3 or prohibit\$3) with (descrambl\$3 or decipher\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:22

EAST Search History

S48	12	S47 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:27
S49	396	(compar\$3 with (initial or default) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:27
S50	163	S49 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:42
S51	1344	(ensur\$3 with (chang\$2 or replac\$2) with (password or passphrase or pin or key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:43
S52	488	S51 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:46
S53	21	S52 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:46
S54	252	726/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:46
S55	71	S54 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:05

EAST Search History

S56	2404	(volatile with (memory or ram) with (stor\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:05
S57	934	S56 and (reset or (power adj1 (on or off or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:05
S58	372	S57 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:26
S59	0	S58 and (prevent\$3 or ban\$4) with (default or initial) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:08
S60	932	(prevent\$3 or ban\$4) with (default or initial) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:08
S61	7	S60 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:08
S62	286	S60 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:27
S63	961	725/25,27,30-31,86,89,100.ccls. and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:27

EAST Search History

S64	0	S62 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:27
S65	29	S62 and (decrypt\$3 or decipher\$3 or descrambl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:27
S66	261	((power adj1 (on or off or cycle)) with reset with (memory or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:39
S67	108	S66 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:40